

**DS-D42B02-N**



- Loading capacity up to 1,300,000 pixels, maximum width: 4096 pixels, maximum height: 4096 pixels
- 2x Gigabit Ethernet ports
- 1x HDMI1.4 output port, support up to 1080P@60Hz
- 1x HDMI1.4 input port, support full-screen scaling in synchronous mode




## ▪ Specification

	Model	DS-D42B02-N
<b>Interface</b>	Video & Audio Input	Internal video source, HDMI x 1
	Video & Audio Output	1 x AUDIO OUT, 2 x network interface, 1 x HDMI OUT
	Network Interface	2
	Control Interface	RJ45 x 1, WiFi AP
<b>Processing Performance</b>	Max. Load Capacity	1300000 pixels
	Frame Frequency	50/60 Hz
	Refresh Rate	60 HZ
	Processing Depth	8 bit
	Grey Level	16 bit
	Display Color	281 trillion
	Brightness Control	0 to 255 adjustable
<b>Power</b>	Max. Resolution of Bar Display	4096 x 4096 pixels
	Max. Consumption	18 W
	Average Consumption	6 W
<b>Working Environment</b>	Input Voltage	100-240V~
	Working Temperature	-20°C to 60°C (-4 °F to 140 °F)
	Working Humidity	0% to 80% RH (non-condensing)
	Storage Temperature	-40 °C to 80 °C (-40 °F to 176 °F)
<b>General</b>	Storage Humidity	0% to 80% RH (non-condensing)
	Product Dimensions (W x H x D)	274.3 mm x 139.0 mm x 40.0 mm ( 10.80" x 5.47" x 1.57" )
	Package Dimensions (W x H x D)	385.0 mm x 280.0 mm x 75.0 mm ( 15.16" x 11.02" x 2.95" )
	Net Weight	1.23 Kg ( 2.7 lb )
	Gross Weight	1.48 Kg ( 3.3 lb )
	Packing List	Warranty Card x 1, Quality Certificate x 1, Restrictive Substances Table x 1, WiFi antenna x 1, Power cable x 1

## ▪ Available Model

DS-D42B02-N

## Dimension



Distributed by



## HIKVISION®

### Headquarters

No.555 Qianmo Road, Binjiang District,  
Hangzhou 310051, China  
T +86-571-8807-5998  
overseasbusiness@hikvision.com

**Hikvision USA**  
T +1-909-895-0400  
sales.usa@hikvision.com

**Hikvision Australia**  
T +61-2-8599-4233  
salesau@hikvision.com

**Hikvision India**  
T +91-22-28469900  
sales@pramahikvision.com

**Hikvision Canada**  
T +1-866-200-6690  
sales.canada@hikvision.com

**Hikvision Thailand**  
T +662-275-9949  
sales.thailand@hikvision.com

**Hikvision Europe**  
T +31-23-5542770  
sales.eu@hikvision.com

**Hikvision Italy**  
T +39-0438-6902  
info.it@hikvision.com

**Hikvision Brazil**  
T +55 11 3318-0050  
Latam.support@hikvision.com

**Hikvision Turkey**  
T +90 (216)521 7070- 7074  
sales.tr@hikvision.com

**Hikvision Malaysia**  
T +601-7652-2413  
sales.my@hikvision.com

**Hikvision UK & Ireland**  
T +01628-902140  
sales.uk@hikvision.com

**Hikvision South Africa**  
Tel: +27 (10) 0351172  
sale.africa@hikvision.com

**Hikvision France**  
T +33(0)1-85-330-450  
info.fr@hikvision.com

**Hikvision Kazakhstan**  
T +7-727-9730667  
nikia.panfilov@hikvision.ru

**Hikvision Vietnam**  
T +84-974270888  
sales.vt@hikvision.com

**Hikvision UAE**  
T +971-4-4432090  
salesme@hikvision.com

**Hikvision Singapore**  
T +65-6684-4718  
sg@hikvision.com

**Hikvision Spain**  
T +34-91-737-16-55  
info.es@hikvision.com

**Hikvision Tashkent**  
T +99-87-1238-9438  
uzb@hikvision.ru

**Hikvision Hong Kong**  
T +852-2151-1761  
info.hk@hikvision.com

**Hikvision Russia**  
T +7-495-669-67-99  
saleru@hikvision.com

**Hikvision Korea**  
T +82-(0)31-731-8817  
sales.korea@hikvision.com

**Hikvision Poland**  
T +48-22-460-01-50  
info.pl@hikvision.com

**Hikvision Indonesia**  
T +62-21-2933759  
Sales.Indonesia@hikvision.com

**Hikvision Colombia**  
sales.colombia@hikvision.com