



XG2536 - 25" 1080P 0.5MS 280HZ GAMING MONITOR WITH ADVANCED ERGONOMICS, FREESYNC PREMIUM. USB-C


Key Features

- 24.5 Inch Full HD (1920x1080p) IPS gaming monitor with thin bezels and RGB lighting
- With a swift 280Hz refresh rate and 0.5ms (MPRT) response time for ultimate gaming experience
- FreeSync Premium technology enables fluid and tear-free gameplay
- Advanced ergonomics (tilt, swivel, and height) for all-day comfort
- In addition to fast data, audio and video transfer, USB-C also provides quick 65W charging over a single cable
- The XG2536 supports laptops, PCs, Macs, PlayStation, Xbox, Switch, and Steam Deck with HDMI v2.0, 65W USB C, and DisplayPort inputs










IPS **PANEL**



1920 x 1080 **RESOLUTION**



ERGONOMICALLY DESIGNED FOR GAMERS Narrow Stand Allows for Sleek Setups

Product **Description**

Maximize your gameplay with the 25 inch XG2536 esports monitor. With a 24.5 inch screen size, this monitor will keep all the action within your peripheral vision while providing a lightning fast 280Hz refresh rate (OC) and 0.5ms response time. Get closer to the action with a specially designed narrow footprint stand, allowing you to put your mouse and keyboard closer to the monitor for a more comfortable gaming experience. Equipped with AMD FreeSync™ Premium technology, this monitor virtually eliminates screen tearing and stuttering for fluid gameplay during fast-paced action scenes. With the option of DisplayPort, HDMI, or USB-C with 65w power delivery, this monitor can connect to any of the newest gaming devices while keeping your laptop, phone, or controller charged.

Specifications

UPC	766907027341
Monitor Series	ELITE Gaming
Screen Size	25
Viewable Area (in.)	24.5
Panel Type	IPS
Display Resolution	1920 x 1080
Display Resolution	Full HD (1920x1080)
Static Contrast Ratio	1,000:1
Dynamic Contrast Ratio	80M:1
Light Source	LED
Brightness	300 cd/m2
Colors	16.7M
Color Space Support	8 bit true
Aspect Ratio	16:9
Response Time (Typical GTG)	5ms
Response Time (MPRT)	0.5ms
Viewing Angles	178º horizontal, 178º vertical
Backlight Life (Hours)	30,000
Panel Surface	Anti-Glare type, Hard-coating (3H), Haze 25%
Refresh Rate	280Hz
Flicker-Free	Yes
Blue Light Filter	Yes
PC Resolution (max)	1920 x 1080
Mac® Resolution (max)	1920 x 1080
USB Type C	65W x 1
3.5mm Audio Out	1
HDMI 2.0 In	2
DisplayPort	1
Internal Speakers	2W (x2)
Eco Mode (Conserve)	27W
Eco Mode (optimized)	32W
Consumption (typical)	35W
Consumption (max)	38W
Voltage	100-240 VAC, 50-60Hz
Stand-by	0.3W

Cable Organization	No
Kensington Lock Slot	1
Physical Controls	Up, Right, Down, Left, Power
On Screen Display	Input Select, Audio Adjust, ViewMode, Color Adjust, Manual Image Adjust, Setup Menu
Temperature	32-104º F (0 - 40º C)
Humidity (non-condensing)	20-90%
VESA Compatible	75 x 75 mm
Frequency Horizontal	30 - 255 KHz
Frequency Vertical	48 - 240 Hz
Height Adjust	130 mm / 5.1 in
Swivel	45º
Pivot (Right/Left)	90º / 90º
Tilt (Forward/Back)	0º / 20º
Regulations	cTUVus, FCC-B, ICES003, CEC, NOM, Mexico Energy, RoHS, WEEE
Net (lbs)	11.7
Net Without Stand (lbs)	7.7
Net (kg)	5.3
Net Without Stand (kg)	3.5
Physical (in.)	21.9"(W) x21.8" (H) x8.6" (D)
Physical Without Stand (in.)	21.9"(W) x13" (H) x2.3" (D)
Physical (mm)	557.2 (W) x 554.3 (H) x 218.1 (D)
Physical Without Stand (mm)	557.2 (W) x 330.3 (H) x 58.8 (D)
Package Contents	LCD Display, Power Cable, AC/DC Adapter, HDMI Cable, DisplayPort Cable, USB-C Cable, Quick Start Guide
Recycle/Disposal	Please dispose of in accordance with local, state or federal laws.
Warranty	Three-year limited warranty on parts, labor and backlight

UPC: 766907027341

