




M2E - 1080P PROJECTOR WITH 1000 LED LUMENS, BLUETOOTH SPEAKERS, USB C AND WI-FI

Key Features

- Ultra-portable Full HD 1080p LED projector with 1,000 LED lumens and shorter throw
- 125% Rec. 709 color accuracy and HDR content support produces lifelike colors
- Built-in dual Harman Kardon Bluetooth speakers (audio only) deliver room-filling audio
- Get set up in seconds with auto-focus and horizontal/vertical keystone correction
- Livestream sporting events, binge shows on Netflix or Disney+ by adding a dongle (not included)
- Supports most media players, PCs, Macs, and mobile devices with inputs such as Wi-Fi. HDMI. USB-C





Product **Description**

Enjoy instant entertainment in any room with the ViewSonic® M2e portable smart LED projector. Simply power on the projector and its advanced instant auto focus and auto keystone features deliver a perfectly proportioned picture within seconds. Full HD resolution and 125% Rec.709 color accuracy deliver incredibly vivid and lifelike images, while Harman Kardon speakers provide immersive stereo sound. Smart connectivity options include WiFi for wireless screen mirroring from smart devices, Bluetooth for versatile audio, and USB-C for direct streaming from Switch gaming consoles. Compact and lightweight, the M2e delivers big-screen entertainment in the living room, kids' room or in the backyard, or it can be used as a business projector and carried from office-to-office, or slipped into a briefcase or backpack and taken on the road.

Specifications

| More Information | |
|-----------------------------------|---|
| UPC | 766907008456 |
| Light Source | DLP LED |
| Display Resolution | Full HD (1920x1080) |
| Display Resolution | 1920 x 1080 |
| Brightness (Lumens) | 1,000 LED |
| Screen Size | 100 |
| Throw Distance | 0.65m-2.68m (80"@2.14m) |
| Throw Ratio | 1.21 |
| Keystone | Vertical (+/- 40º) / Horizontal (+/- 40º) |
| Lens | Fixed Zoom |
| Light Source (watt) | RGBB LED |
| Light Source Life, Normal (hours) | 30000 |
| Color Depth | 1.07B Color (R/G/B 10bit) |
| Dynamic Contrast Ratio | 3,000,000:1 |
| Aspect Ratio | 16:9 |
| Input Lag | 37ms |
| Frequency Horizontal | 15K-102KHz |
| Frequency Vertical | 23-120Hz |
| PC Resolution (max) | 1920x1080 |
| PC Resolution (min) | 640 x 480 |
| Mac® Resolution (max) | 1920x1080 |
| Mac® Resolution (min) | 640 x 480 |
| USB 2.0 Type A | 1 |
| USB 3.1 Type C | 1 |
| Card Reader | Micro SD |
| 3.5mm Audio Out | 1 |
| HDMI 1.4 (with HDCP 1.4) | 1 |
| Wifi | 5Gn |
| Bluetooth Audio-in | 1 (BT4.2) |
| Bluetooth Audio-out | 1 (BT4.2) |
| Internal Speakers | 3W (x2) |
| Voltage | Input: 100~240V Output: 19VDC / 4.74A |
| Consumption (typical) | 75W |

| Stand-by | 0.5W |
|---------------------------|--|
| Physical Controls | Power, keystone/arrow keys, left/blank, menu/exit, right/panel key lock, mode/enter, auto, source |
| On Screen Display | Display, Image, Power Management, Basic, Advanced, System, Information (See user guide for full OSD functionality) |
| Temperature | 32-104º F (0 - 40º C) |
| Humidity (non-condensing) | 0-90% |
| Kensington Lock Slot | 1 |
| Net (lbs) | 2.2 |
| Gross (lbs) | 6.4 |
| Net (kg) | 1.0 |
| Gross (kg) | 2.9 |
| Packaging (in.) | 10.1 x 10.0 x 6.6 |
| Physical (in.) | 7.2 x 7.2 x 2.1 |
| Packaging (mm) | 258.0 x 255.0 x 167.0 |
| Physical (mm) | 184.0 x 184.0 x 54.0 |
| Regulations | FCC, cTUVus, ROHS |
| Package Contents | M2e projector, carrying case, power cable, remote control, Quick Start Guide |
| Recycle/Disposal | Please dispose of in accordance with local, state or federal laws. |
| Portability | Portable |

UPC: 766907008456





FULL HD 1080P PORTABLE LED PROJECTOR



