


VX2418C - 24" OMNI CURVED 1080P 1MS 165HZ GAMING MONITOR WITH FREESYNC PREMIUM

Key Features


- 24 Inch Full HD (1920x1080p) 1500R curved gaming monitor with thin bezels
- 165Hz refresh rate and 1ms MPRT response time (with DisplayPort) for ultimate gaming experience
- AMD FreeSync Premium technology enables fluid and tear-free gameplay
- Flicker-Free technology and Blue Light Filter for reduced eye fatigue
- An arsenal of pre-set customizable visual modes keeps you ready for any FPS, RTS, or MOBA games
- The VX2418C supports laptops, PCs, and Macs with HDMI and DisplayPort inputs



24
DISPLAY



MVA
PANEL



1920 x 1080
RESOLUTION



Product Description

With an immersive 1500R curved screen and Full HD 1080p resolution, the ViewSonic® VX2418C monitor provides an incredible viewing experience for work or play. With features including a high 165Hz refresh rate, 1ms (MPRT) response time and AMD FreeSync Premium technology, this monitor virtually eliminates screen tearing and stuttering for a fluid gaming experience. The VX2418C also comes equipped with ViewSonic exclusive ViewMode™ presets, which offer optimized screen performance for different home entertainment applications such as watching movies, editing files, or playing video games. Two HDMI (v2.0) inputs, and one DisplayPort (v1.2) input offers flexible connectivity for both general use and entertainment.

Specifications

| | |
|------------------------------------|--------------------------------------|
| UPC | 766907016345 |
| Screen Size | 24 |
| Viewable Area (in.) | 23.6 |
| Panel Type | MVA |
| Display Resolution | 1920 x 1080 |
| Display Resolution | Full HD (1920x1080) |
| Static Contrast Ratio | 3,000:1 |
| Dynamic Contrast Ratio | 80M:1 |
| Light Source | LED |
| Brightness | 250 cd/m2 |
| Colors | 16.7M |
| Aspect Ratio | 16:9 |
| Response Time (Typical GTG) | 5ms |
| Viewing Angles | 178° horizontal, 178° vertical |
| Backlight Life (Hours) | 30,000 |
| Panel Surface | Anti-glare |
| Curvature | 1500R |
| Refresh Rate | 165Hz |
| Adaptive Sync | AMD FreeSync™ Premium |
| PC Resolution (max) | 1920 x 1080 |
| Mac® Resolution (max) | 1920 x 1080 |
| 3.5mm Audio Out | 1 |
| HDMI In | 1 |
| DisplayPort | 1 |
| Internal Speakers | 2W (x2) |
| Eco Mode (Conserve) | 25 W |
| Eco Mode (optimized) | 17 W |
| Consumption (typical) | 21 W |
| Consumption (max) | 30 W |
| Voltage | 12V |
| Stand-by | 0.3 W |
| Power Supply | External |
| Cable Organization | No |
| Headphone Hook | No |
| Kensington Lock Slot | 1 |
| Physical Controls | Up, Right, Down, Left, Enter (power) |

| | |
|-------------------------------------|--|
| On Screen Display | Input Select, Audio Adjust, ViewMode, Color Adjust, Manual Image Adjust, Setup Menu |
| Temperature | 32-104° F (0 - 40° C) |
| Humidity (non-condensing) | 20-90% |
| VESA Compatible | 100 x 100 mm |
| Frequency Horizontal | HDMI (v1.4) 30 ~ 160 KHz DisplayPort (v1.2) 30 ~ 160 KHz |
| Frequency Vertical | HDMI (v1.4) 48 ~ 144 Hz DisplayPort (v1.2) 48 ~ 165 Hz |
| Net (lbs) | 6.8 |
| Net Without Stand (lbs) | 5.7 |
| Gross (lbs) | 9.7 |
| Net (kg) | 3.1 |
| Net Without Stand (kg) | 2.6 |
| Gross (kg) | 4.4 |
| Packaging (in.) | 23.8 (W) x 15.8 (H) x 5.4 (D) |
| Physical (in.) | 21.3 (W) x 16.3 (H) x 8.2 (D) |
| Physical Without Stand (in.) | 21.3 (W) x 12.7 (H) x 2.9 (D) |
| Packaging (mm) | 605 mm (W) x 402 mm (H) x 136 mm (D) |
| Physical (mm) | 540 mm (W) x 413 mm (H) x 209 mm (D) |
| Physical Without Stand (mm) | 540 mm (W) x 322 mm (H) x 74 mm (D) |
| Regulations | cTUVus, FCC-B, ICES003, Energy Star 8.0, EPEAT Silver, CEC, NOM, Mexico Energy, CB, RoHS |
| Package Contents | VX2418C x1, 3-pin Plug (IEC C13 / CEE22) x1, DisplayPort Cable (v1.2; Male-Male) x1, AC/DC Adapter x1, Quick Start Guide x1, |
| Recycle/Disposal | Please dispose of in accordance with local, state or federal laws. |
| Warranty | Three-year limited warranty on parts, labor and backlight |

UPC: 766907016345

